# INDEX TO VOLUME 15


A

Page

Acetate rayon, determination, RP821 ..... 189
Acid, effect on leather, RP811 ..... 73
Acid potassium phthalate, stability of aqueous solutions, RP852 ..... 583
Adsorption of hydrocarbons on silica gel, RF809 ..... 51
Aerodynamics, hot-wire anemometry, RP850 ..... 575
Aging of silk, RP855 ..... 601
Aircraft engine performance, RP825 ..... 227
Alkalies, effect on wool, RP810 ..... 63
Alloy structural steel, strength, RP831 ..... 317
Aluminum, determination of gallium in, RP853 ..... 585
Aluminum, separation and determination, RP813 ..... 87
Aluminum silicates, synthesis, RP819 ..... 173
Amplifiers, concentric line tuned, RP856 ..... 609
Anemometry, hot-wire, RP850 ..... 575
Animal tissues, spectral transmission, RP830 ..... 295
*Appel, Wm. D., and Daniel A. Jessup*, Accelerated aging test for weighted silk, RP855 ..... 601
Aqueous solutions of acid potassium phthalate, stability, RP852 ..... 583
Arc spectrum of chromium, RP812 ..... 79
Artichokes, battery extraction, RP840 ..... 441
Atomic weight of gallium, RP838 ..... 409

B

*Back, E. A., Merle B. Shaw, Charles G. Weber and*, Effects of fumigants on paper, RP828 ..... 271
Bactericidal agent, use of silver as, RP836 ..... 377
Battery, experimental diffusion, RP840 ..... 441
Bearings, accelerated service tests, RP854 ..... 591
*Beek, John, Jr., Charles L. Critchfield, Everett L. Wallace and*, Influence of sulphonated cod-liver oil on the deterioration of vegetable-tanned leathers by sulphuric acid, RP811 ..... 73
Beidellite, synthesis, RP819 ..... 173
*Bekkedahl, Norman, and Harry Matheson*, Heat capacity, entropy, and free energy of rubber hydrocarbon, RP844 ..... 503
*Bennett, Evert G., Raymond L. Sanford and*, Determination of magnetic hysteresis with the Fahy Simplex permeameter, RP845 ..... 517
Beryllium, separation of magnesium and, from aluminum, RP813 ..... 87
Birefringence of crystals, determination of refractive index originating in, RP829 ..... 277
Boiling point of deuterium, RP841 ..... 463
Bookworm eradication, RP828 ..... 271
*Bowker, Roy C., and Warren E. Emley*, Comparative wear of chrome-tanned, vegetable-tanned and retanned sole leather, RP834 ..... 363
*Brickwedde, F. G., R. B. Scott, and H. S. Taylor*, The difference in vapor pressures of ortho- and paradeuterium, RP841 ..... 463
Bridge columns, strength, RP831 ..... 317
*Bright, Harry A., Robert M. Fowler and*, Standardization of permanganate solutions with sodium oxalate, RP843 ..... 493
Bronze pintle cup tests, RP854 ..... 591
Butane, energy of isomerism of, RP833 ..... 357
*Bunting, E. N., R. F. Geller, R. H. Ewell and*, Thermal decomposition of talc, RP848 ..... 551

C

Calcium levulate, yield, RP832 ..... 341
Calcium-thiocyanate solution as solvent for fiber mixture, RP821 ..... 189
Calorimeter for heat capacity measurements, RP844 ..... 503

Page

Carbon manganese-steel columns, strength, RP831 ..... 317
Carbon steels, hardening, RP837 ..... 385
Carbon tool steels, RP837 ..... 385
Carburetors, ice formation in, RP825 ..... 227
Cell for refractive index determinations, RP814 ..... 97
Cellulose materials, spectral transmission, RP830 ..... 295
Cement, high-early-strength, RP839 ..... 421
Ceramic products, use of saggers in, RP827 ..... 255
Ceramics, use of talc in, RP848 ..... 551
Chemical constitution of lubricating oils, RP849 ..... 557
Chrome-tanned sole leather, RP834 ..... 363
Chromium wave lengths, RP812 ..... 79
Clay minerals, synthesis, RP819 ..... 173
Clays, sagger, properties, RP827 ..... 255
Clinoenstatite in heated talc, RP848 ..... 551
*Coblentz, W. W., and R. Stair*, Factors affecting ultraviolet solar radiation intensities, RP816 ..... 123
*Coblentz, W. W., R. Stair and*, Infrared absorption spectra of plant and animal tissue and of various other substances, RP830 ..... 295
Colorimetric method for determining silver, RP836 ..... 377
Color of porcelain enamels from spectral selectivity of reflectance, RP847 ..... 529
Color of vegetable oils, RP815 ..... 99
Columns, strength of bridge, RP831 ..... 317
Combination-tanned sole leather, RP834 ..... 363
Combustion of isobutane, RP833 ..... 357
Comparator, extensometer, RP822 ..... 199
Concentric lines, use in radio-frequency amplifiers, RP856 ..... 609
Conductivity, electrical, of rubber-sulphur compounds, effect of pressure on, RP806 ..... 13
Cotton, determination of, RP821 ..... 189
Cottonseed oils, spectral transmittance, RP815 ..... 99
Cotton yarns, mechanical properties, RP826 ..... 237
Cristobalite in heated talc, RP848 ..... 551
*Critchfield, Charles L., Joseph R. Kanagy, Everett L. Wallace and*, Influence of some sulphur-containing tanning materials on the deterioration of vegetable-tanned leathers by sulphuric acid, RP835 ..... 369
—— *John Beek, Jr., Everett L. Wallace and*, Influence of sulphonated cod-liver oil on the deterioration of vegetable-tanned leathers by sulphuric acid, RP811 ..... 73
Crystallization of gallium, RP823 ..... 205
Crystals, birefringence of, RP829 ..... 277
Crystal grains, refractive indices, RP814 ..... 97
Cupferron, determination of gallium by, RP853 ..... 585
*Curtiss, Leon F.*, Brightness meter for self-luminous dials, RP804 ..... 1
Cyclohexane, ethyl, RP817 ..... 151

D

Daylight, effect on silk, RP855 ..... 601
Deterioration of leather { RP811 ..... 73 / RP846 ..... 523
Deterioration of silk, RP855 ..... 601
Determination of Al, Be, and Mg, RP813 ..... 87
Deuterium, properties, RP841 ..... 463
Dials, brightness measurements, RP804 ..... 1
Dickite, synthesis, RP819 ..... 173
Dielectric constant of rubber-sulphur compounds, effect of pressure on, RP806 ..... 13

Page

Diffusion battery for extraction of artichokes, RP840 ... 441
*Digges, T. G., and Louis Jordan,* Hardening characteristics and other properties of commercial one-percent-carbon tool steels, RP837 ... 385
Dimethylcyclohexanes, separation from petroleum, RP808 ... 41
Dunmore, Francis W., Unicontrol radio receiver for ultra high frequencies using concentric lines as interstage couplers, RP856 ... 609

E

8-Hydroxyquinoline, use of, in determination of Al, Be, and Mg, RP813 ... 87
Electrical resistance, adjustable, RP842 ... 477
Electrode, glass, RP805 ... 5
Electrolytic fractionation of oxygen isotopes, RP820 ... 187
Elements, rare, RP853 ... 585
*Emley, Warren E., Roy C. Bowker, and,* Comparative wear of chrome-tanned, vegetable-tanned, and retanned sole leather, RP834 ... 363
Enamels, reflectometry of porcelain, RP847 ... 529
Engine performance, airplane, RP825 ... 227
Enstatite in heated talc, RP848 ... 551
Entropy of rubber, RP844 ... 503
Ether, extraction of gallium by, RP853 ... 585
Ethylcyclohexane, properties, RP817 ... 151
Extensometer calibration, RP822 ... 199
Extraction of artichokes in a diffusion battery, RP840 ... 441
*Ewell, R. H., E. N. Bunting, and R. F. Geller,* Thermal decomposition of talc, RP848 ... 551
—— *and Herbert Insley,* Hydrothermal synthesis of kaolinite, dickite, beidellite, and nontronite, RP819 ... 173

F

Fabrics, gas-cell, effect of protective coatings on moisture absorption, RP818 ... 163
Fabric, silk, aging test, RP855 ... 601
Fahy Simplex permeameter for determining magnetic hysteresis, RP845 ... 517
Feldspar, determination of, RP813 ... 87
Fibers, cotton, RP826 ... 237
Fiber mixtures, analysis, RP821 ... 189
Fire clays, used in saggers, properties, RP827 ... 255
*Fowler, Robert M., and Harry A. Bright,* Standardization of permanganate solutions with sodium oxalate, RP843 ... 493
Fractional crystallization of gallium, RP823 ... 205
Fractionation of isotopes of oxygen, RP820 ... 187
Fractionation of petroleum { RP808 ... 41; R P809 ... 51; RP817 ... 151; RP824 ... 211; RP 849 ... 557
Free energy of formation of rubber, RP844 ... 503
Freezing point of deuterium, RP841 ... 463
Fructose, extraction of, RP840 ... 441
Fuel, gasoline, heats of vaporization of, RP825 ... 227
Fumigation of paper, RP828 ... 271

G

Gage lines, determination of stresses from strain measurements on, RP851 ... 579
Gallic acid in ink, RP807 ... 35
Gallium, atomic weight, RP838 ... 409
Gallium, determination in aluminum, RP853 ... 585
Gallium oxide, density, RP838 ... 409
Gallium, purification, RP823 ... 205
Gas-cell fabrics, effect of protective coatings on moisture absorption, RP818 ... 163
Gasoline, heats of vaporization, RP825 ... 227
*Gause, G. Rupert,* A study for the preparation of a specification for high-early-strength portland cement, RP839 ... 421
*Geller, R. F., E. N. Bunting, R. H. Ewell and* Thermal decomposition of talc, RP848 ... 551
George Washington Bridge, column tests, RP831 ... 317
Glass-electrode assembly, RP805 ... 5
Glazed materials, reflectometry, RP847 ... 529
Glass standards, Lovibond, RP815 ... 99
Glucose, effect on deterioration of leather, RP846 ... 523

Page

Grain size, influence on hardening of steel, RP837 ... 385
Gutta-percha, effect of pressure on some electrical properties of, RP806 ... 13

H

Hardenability of carbon tool steels, RP837 ... 385
*Harris, Milton,* Effect of alkalies on wool, RP810 ... 63
Heat capacity of rubber, RP844 ... 503
Heat of combustion and formation of isobutane, RP833 ... 357
Heats of vaporization of deuterium, RP841 ... 463
Heats of vaporization of gasoline, RP825 ... 227
*Heindl, Raymond A.,* A study of sagger clays and sagger bodies, RP827 ... 255
Heavy-water isotopes, RP820 ... 187
High-early-strength cement, RP839 ... 421
High-frequency radio receiver, RP856 ... 609
*Hoffman, James I.,* Stability of aqueous solutions of acid potassium phthalate, RP852 ... 583
—— *and Bourdon F. Scribner,* Purification of gallium by fractional crystallization of the metal, RP823 ... 205
—— *G. E. F. Lundell and,* Atomic weight of gallium, RP838 ... 409
Hot-wire anemometer, RP850 ... 575
*Houston, David F.,* Effect of protective coatings on the absorption of moisture by gelatin-latex gas-cell fabrics, RP818 ... 163
Humidity, effect in hot-wire anemometry, TP850 ... 575
Hydrocarbons, petroleum { RP808 ... 41; RP809 ... 51; RP817 ... 151; RP824 ... 211; RP849 ... 557
Hydrocarbons, rubber, heat-capacity values, RP844 ... 503
Hydrogen-ion concentration, RP805 ... 5
Hydrogen-ion control in diffusion battery operation, RP840 ... 441
Hydrogen, properties of molecular, RP841 ... 463
Hydrothermal synthesis of clay minerals, RP819 ... 173
Hysteresis, magnetic, determination of, RP845 ... 517

I

Ice formation in carburetors, RP825 ... 227
Immersion methods for determining refractive index { RP814 ... 97; RP829 ... 277
Induction, determination of, in magnetic materials, RP845 ... 517
Inductive capacity of rubber-sulphur compounds, effect of pressure on, RP806 ... 13
Infrared absorption spectra of various substances, RP830 ... 295
Infrared absorption spectrum of ethylcyclohexane, RP817 ... 151
Infrared arc spectrum, RP812 ... 79
Inks, iron gallate, RP807 ... 35
Insects, eradication of from stored records, RP828 ... 271
*Insley, Herbert, Raymond H. Ewell and,* Hydrothermal synthesis of kaolinite, dickite, beidellite, and nontronite, RP819 ... 173
Interstage couplers, RP856 ... 609
Isobutane, heat of combustion and formation, RP833 ... 357
Isotopes of deuterium and hydrogen, RP841 ... 463
Isotopes of oxygen, RP820 ... 187

J

*Jackson, Richard F., and Joseph A. Mathews,* Yield and purity of levulose derived from the calcium levulose process, RP832 ... 341
Jerusalem artichokes, battery extraction, RP840 ... 441
*Jessup, Daniel A., Wm. D. Appel and,* Accelerated aging test for weighted silk, RP855 ... 601
—— *Ralph T. Mease and,* Analysis of textiles for cellulose-acetate rayon, silk, regenerated-cellulose rayon, cotton, and wool, RP821 ... 189

Page

*Jessup, Ralph S.*, Heats of vaporization of eight gasolines, RP825 ... 227
*Jordan, Louis, T. G. Digges and*, Hardening characteristics and other properties of commercial one-percent-carbon tool steels, RP837 ... 385

**K**

Kaolinite, synthesis, RP819 ... 173
*Kanagy, Joseph R., Charles L. Critchfield, Everett L. Wallace and*, Influence of some sulphur containing tanning materials on the deterioration of vegetable-tanned leathers by sulphuric acid, RP835 ... 369
— *Everett L. Wallace and*, Deterioration of vegetable-tanned leathers containing sulphuric acid and glucose, RP846 ... 523
*Kiess, C. C.*, Infrared arc spectrum of chromium, RP 812 ... 79
*Knowles, Howard B.*, Use of 8-hydroxyquinoline in determinations of aluminum, beryllium, and magnesium, RP813 ... 87

**L**

Latent heats of deuterium, RP841 ... 463
Leather, deterioration {RP835 ... 369; RP846 ... 523}
Leather, effect of acid on, RP811 ... 73
Leather, pH measurement, RP805 ... 5
Leather, resistance to wear, RP834 ... 363
Length changes, cement mortars, RP839 ... 421
Length-measuring instruments, calibration, RP822 ... 199
*Leslie, Robert T.*, Separation of a dimethylcyclohexane fraction from a midcontinent petroleum, RP808 ... 41
— *and Joseph D. White*, Present status of the isolation and identification of the volatile hydrocarbons in a midcontinent petroleum, RP824 ... 211
Levulose, yield and purity, RP832 ... 341
Light, aging of silk in, RP855 ... 601
Lock-gate pintle bearings, RP854 ... 591
Lovibond color system, RP815 ... 99
Lubricating oil, chemical constitution and properties, RP849 ... 557
Luminous dials, measurement of brightness, RP804 ... 1
*Lundell, G. E. F., and James I. Hoffman*, Atomic weight of gallium, RP838 ... 409

**M**

*McNicholas, Harry J.*, Color and spectral transmittance of vegetable oils, RP815 ... 99
Magnesia in sagger bodies, RP827 ... 255
Magnesium, separation of beryllium and, from aluminum RP813 ... 87
Magnetic hysteresis, determination, RP845 ... 517
*Mair, Beveridge J., and Joseph D. White*, Separation of petroleum hydrocarbons with silica gel, RP809 ... 51
— *Sylvester T. Schicktanz, and Frank W. Rose, Jr.*, Apparatus and methods for investigating the chemical constitution of lubricating oil and preliminary fractionation of the lubricating-oil fraction of a midcontinent petroleum, RP849 ... 557
*Matheson, Harry, Norman Bekkedahl and*, Heat capacity, entropy, and free energy of rubber hydrocarbon, RP844 ... 503
*Mathews, Joseph A., Richard F. Jackson and*, Yield and purity of levulose derived from the calcium levulate process, RP832 ... 341
*Mease, Ralph T., and Daniel A. Jessup*, Analysis of textiles for cellulose-acetate rayon, silk, regenerated-cellulose rayon, cotton, and wool, RP821 ... 189
Metals, rare, RP853 ... 585
Meter to determine brightness of luminous dials, RP804 ... 1
Micrometer, calibration, RP822 ... 199
Microscopical identification of crystalline compounds, RP829 ... 277
Moisture absorption by gas-cell fabrics, RP818 ... 163

Page

Molecular and high vacuum stills, RP849 ... 557
Monel metal pintles, RP854 ... 591
Mortars, plastic properties of, RP839 ... 421
*Mueller, E. F., and Frank Wenner*, The Waidner-Wolff and other adjustable electrical-resistance elements, RP842 ... 477

**N**

Nontronite, synthesis, RP819 ... 173

**O**

Oils, lubricating, chemical constitution and properties, RP849 ... 557
Oil, sulphonated, effect on leather, RP811 ... 73
Oils, vegetable, spectral transmittance, RP815 ... 99
Orthodeuterium, vapor pressures of, RP841 ... 463
*Osgood, Wm. R.*, Determination of principal stresses from strains on four intersecting gage lines 45° apart, RP851 ... 579
Oxalate, standardization of permanganate solutions with sodium, RP843 ... 493
Oxygen isotopes, RP820 ... 187

**P**

Paper insects, control, RP828 ... 271
Paradeuterium, vapor pressures of, RP841 ... 463
*p*-Dimethylaminobenzalrhodanine, use of in determination of silver, RP836 ... 377
Permanganate solutions, standardization, RP843 ... 493
Permeameter, mognetic hysteresis, RP845 ... 517
Petroleum, ethycyclohexane in, RP817 ... 151
Petroleum hydrocarbons {isolation of, RP824 ... 211; separation, RP809 ... 51}
Petroleum oils, constitution and properties, RP849 ... 557
Petroleum, separation of dimethylcyclohexanes, RP808 ... 41
pH control in diffusion battery operation, RP840 ... 441
Photometry for luminous dials, RP804 ... 1
Photometry of light reflected from porcelain enamels, RP847 ... 529
Phthalate, acid potassium, stability of aqueous solutions of, RP852 ... 583
Pintle bearings, accelerated service tests of, RP854 ... 591
Plant and animal tissues, spectral transmission, RP830 ... 295
Porcelain enamels, reflectometry of, RP847 ... 529
Portland cement specification, RP839 ... 421
Power factor of rubber-sulphur compounds, effect of pressure, RP806 ... 13
Preservation of stored records, RP828 ... 271
Pressure, effect on some electrical properties of rubber-sulphur compounds, RP806 ... 13
Pressures on pintle bearings, RP854 ... 591
*Priest, Irwin G.*, The Priest-Lange reflectometer applied to nearly white porcelain enamels, RP847 ... 529
Priest-Lange reflectometer, RP847 ... 529
*Proffitt, Max J.*, Design and construction of an experimental diffusion battery, RP840 ... 441
Properties of carbon steels, RP837 ... 385
Properties of cements and cement mortars, RP839 ... 421
Protective coatings, effect on absorption of moisture by gas-cell fabrics, RP818 ... 163
Protein materials, spectral transmission, RP830 ... 295

**R**

Radiation intensities, ultraviolet solar, RP816 ... 123
Radio frequency, amplifier for, RP856 ... 609
Radio receiver, RP856 ... 609
Rayon, determination of, RP821 ... 189
Reagents, alkaline, effect on wool, RP810 ... 63
Records, preservation, RP828 ... 271
Reflectometer for porcelain enamels, RP847 ... 529
Refractive-index determination by immersion method, RP814 ... 97
Refractive index of crystals, RP829 ... 277
Refractories, use of talc in, RP848 ... 551
Resistances, electrical, RP842 ... 477

Page

Resistivity of rubber-sulphur compounds, effect of pressure, RP806 13
*Rose, Frank W., Jr., Sylvester T. Schicktanz, Beveridge J. Mair and,* Apparatus and methods for investigating the chemical constitution of lubricating oil, and preliminary fractionation of the lubricating-oil fraction of a mid-continent petroleum, RP849 557
——*and Joseph D. White,* Isolation of ethylcyclohexane from a mid-continent petroleum, RP817 151
Rubber and associated substances, spectral transmission, RP830 295
*Rossini, Frederick D.,* Heat of combustion of isobutane, RP833 357
Rubber, heat capacity, entropy, and free energy of, RP844 503
Rubber-sulphur compounds, effect of pressure on some electrical properties, RP806 13

S

Sagger clays, properties, RP827 255
Saggers, use of talc in, RP848 551
*Sanford, Raymond L., and Evert G. Bennett,* Determination of magnetic hysteresis with the Fahy Simplex permeameter, RP845 517
*Saylor, Charles Proffer,* Accuracy of microscopical methods for determining refractive index by immersion, RP829 277
—— A thin cell for use in determining the refractive indices of crystal grains, RP814 97
*Scherrer, John A.,* Determination of gallium in aluminum, RP853 585
*Schicktanz, Sylvester T., Frank W. Rose, Jr., Beveridge J. Mair and,* Apparatus and methods for investigating the chemical constitution of lubricating oil, and preliminary fractionation of the lubricating-oil fraction of a midcontinent petroleum, RP849 557
*Schiefer, Herbert F., and Daniel H. Taft,* Mechanical properties of cotton yarns, RP826 237
*Schoonover, Irl C.,* A colorimetric method for the quantitative determination of small amounts of silver by use of *p*-dimethylaminobenzalrhodanine, RP836 377
*Schubauer, Galen B.,* Effect of humidity in hot-wire anemometry, RP850 575
*Scott, Arnold H.,* Effect of pressure on the dielectric constant, power factor, and conductivity of rubber-sulphur compounds, RP806 13
*Scott, R. B., H. S. Taylor, F. G. Brickwedde and,* The difference in vapor pressures of ortho- and paradeuterium, RP841 463
*Scribner, Bourdon F., James I. Hoffman and,* Purification of gallium by fractional crystallization of the metal, RP823 205
Setting-time, cement mortars, RP839 421
*Shaw, Merle B., E. A. Back, Charles G. Weber and,* Effects of fumigants on paper, RP828 271
Shoe leather, resistance to wear, RP834 363
Silica gel, separation of hydrocarbon mixtures by adsorption on, RP809 51
Silicon steel bridge columns, RP831 317
Silk, aging test, RP855 601
Silk, determination of, RP821 189
Silver, determination and adsorption, RP836 377
*Smith, Edgar R., and Mieczyslaw Wojciechowski,* Fractionation of the isotopes of oxygen in a commercial electrolyzer—a correction, RP820 187
Sodium-hydroxide solutions, effect on wool, RP810 63
Sodium oxalate, standardization of permanganate solutions with, RP843 493
Solar radiation intensities, RP816 123
Sole leather, resistance to wear, RP834 363
Specific heat of rubber, RP844 503
Spectral energy curves of ultraviolet solar radiation, RP816 123
Spectral selectivity of reflectance, measurement of, RP847 529
Spectral transmission of various substances, RP830 295
Spectral transmittance of vegetable oils, RP815 99

Page

Spectra of chromium, RP812 79
Spectra of dimethylcyclohexanes, RP808 41
Spectrum of ethylcyclohexane, infrared absorption, RP817 151
*Stair, R., W. W. Coblentz and,* Factors affecting ultraviolet solar-radiation intensities, RP816 123
—— *and W. W. Coblentz,* Infrared absorption spectra of plant and animal tissue and of various other substances, RP830 295
*Stang, Ambrose H., and Leroy R. Sweetman,* Accelerated service tests of pintle bearings, RP854 591
—— *and Leroy R. Sweetman,* An extensometa comparator, RP822 199
—— *and Herbert L. Whittemore,* Tests of steel tower columns for the George Washington Bridge, RP831 317
Steel bridge columns, strength, RP831 317
Steel, properties of carbon, RP837 385
Stills, molecular and high vacuum, RP849 557
Storage of records, RP828 271
Strain gage calibration, RP822 199
Strain, measurement on four intersecting gage lines, RP851 579
Strength of cement mortars, RP839 421
Stresses, determination of, RP851 579
Stresses in columns, RP831 317
Sugar extraction, diffusion battery for, RP840 441
Sugar mixtures, levulose yield from, RP832 341
Sulphonated oil, effect on leather, RP811 73
Sulphur-containing tanning materials, influence on deterioration of leather, RP835 369
Sulphuric acid, effect on properties of leather {RP811 73, RP846 523
Sulphur in wool, effect of alkalies on, RP810 63
*Sweetman, Leroy R., Ambrose H. Stang and,* Accelerated service tests of pintle bearings, RP854 591
—— An extensometer comparator, RP822 199
Syntans, effect on leather, RP835 369
Synthesis of clay minerals, RP819 173

T

*Taft, Daniel H., Herbert F. Schiefer and,* Mechanical properties of cotton yarns, RP826 237
Talc, thermal decomposition, RP848 551
Talc in sagger bodies, RP827 255
Talc, X-ray study of heated, RP848 551
Tanned leathers, deterioration, RP846 523
Tanned sole leather {RP834 363, RP835 369
*Taylor, H. S., R. B. Scott, F. G. Brickwedde and,* The difference in vapor pressures of ortho- and paradeuterium, RP841 463
Television, radio frequency amplifier for RP856 609
Textiles, aging test for silk, RP855 601
Textiles, chemical analysis, RP821 189
Textiles, cotton yarns, RP826 237
Textiles, wool, effect of alkalies, RP810 63
Thermal analysis of steels, RP837 385
Thermal expansion of clays, RP827 255
Thermochemical properties of isobutane, RP833 357
Thermodynamic potential of rubber, RP844 503
Tool steels, carbon, hardening, RP837 385
Tower columns, strength, RP831 317

U

Ultraviolet solar-radiation intensities, RP816 123
Ultra high-frequency receiver, RP856 609
Unicontrol radio receiver, RP856 609

V

Vacuum stills, RP849 557
Vaporization of gasoline, heats of, RP825 227
Vapor pressures of deuterium and hydrogen, RP841 463
Vegetable oils, spectral transmittance, RP815 99
Vegetable-tanned leathers, deterioration {RP811 73, RP846 523
Vegetable-tanned leather {RP811 73, RP834 363, RP835 369

**W**

Page

Waidner-Wolff resistance elements, RP842... 477
*Wallace, Everett L.*, Method for measuring the pH of leather using a simple glass-electrode assembly, RP805... 5
—— *Charles L. Critchfield, and John Beek, Jr.*, Influence of sulphonated cod-liver oil on the deterioration of vegetable-tanned leathers by sulphuric acid, RP811... 73
—— *and Joseph R. Kanagy*, Deterioration of vegetable-tanned leathers containing sulphuric acid and glucose, RP846... 523
—— *Joseph R. Kanagy, and Charles L. Critchfield*, Influence of some sulphur-containing tanning materials on the deterioration of vegetable-tanned leathers by sulphuric acid, RP835... 369
Water, concentrations of silver in, RP836... 377
Wear tests of leather, RP834... 363
*Weber, Charles G., Merle B. Shaw, and E. A. Back*, Effects of fumigants on paper, RP828... 271
Weighted silk, accelerated aging test, RP855... 601
*Wenner, Frank, E. F. Mueller and*, The Waidner-Wolff and other adjustable electrical-resistance elements, RP842... 477
*White, Joseph D., Beveridge J. Mair and*, Separation of petroleum hydrocarbons with silica gel, RP809... 51

Page

—— *Frank W. Rose, Jr. and*, Isolation of ethylcyclohexane from a midcontinent petroleum, RP817... 151
—— *Robert T. Leslie and*, Present status of the isolation and identification of the volatile hydrocarbons in a midcontinent petroleum, RP824... 211
*Whittemore, Herbert L., Ambrose H. Stang and*, Tests of steel tower columns for the George Washington Bridge, RP831... 317
*Wojciechowski, Mieczyslaw, Edgar R. Smith and*, Fractionation of the isotypes of oxygen in a commercial electrolyzer—a correction, RP820... 187
Wool, determination of, RP821... 159
Wool, effect of alkalies on, RP810... 63
Wool, properties of, RP810... 63

**X**

X-ray patterns of clay minerals, RP819... 173

**Y**

Yarns, cotton, RP826... 237
Yarn, wool, effect of alkalies on, RP810... 63

**Z**

*Zimmerman, Elmer W.*, Iron gallate inks, liquid and powder, RP807... 35

Eng.

UNITED STATES DEPARTMENT OF COMMERCE
DANIEL C. ROPER, Secretary
U. S. NATIONAL BUREAU OF STANDARDS
Lyman J. Briggs, Director

✦

# Journal of Research

## of the

## National Bureau of Standards

✦

Volume 15

July to December 1935

Research Papers 804 to 856

UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON : 1936

*Corrections to be noted in volume 15 of the Journal of Research of the National Bureau of Standards*

| Page | Line | Now reads in part | Should read |
|---|---|---|---|
| 76 | Figure 1 | Refer to table 2, p. 75, for correct numerical values for quebracho-tanned leather containing oil. | |
| 80 | 4 from bottom | $c^3D_4-{}'^3D_4^1$ | $c^3D_4-x'^3D_4^1$ |
| 85 | 2 | $b^3D$ | $b^3D$ |
| 123 | 3 | special | spectral |
| 126 | 2 from bottom | micrometer | microammeter |
| 132 | column 11, June 3 | Press. aq. vap. = 19.5 mm | Press aq. vap. = 1.95 mm |
| 160 | Table 3, column 5 | 131.8$_9$ | 131.7$_9$ |
| 243 | 2 from bottom | ally | equally |
| 243 | Table 3, column 9 | Standard deviation 5.72 | Standard deviation .572 |
| 269 | 9 | 0.45 to 0.65 | 0.045 to 0.065 |
| 272 | 9 | 10 by 8 ft 6 in | 10 by 8 by 6 ft |
| 278 | Footnote | The earlier paper referred to is by C. Riva, Atti accad. Lincei (Roma) [5]9–2, p. 170 (1900). | |
| 281 | | Rotate both illustrations 180° | |
| 356 | Table 8, heading column 18 | | $\frac{\Delta \text{Imm.}}{\Delta T}\times(-1)$ |
| 356 | Table 8, last column | Delete $\times(-1)$ | |
| 377 | 4 from bottom | mg/liter of silver | mg of Ag/liter |
| 378 | 18 | | |
| 380 | 1 | g/liter of silver | g of Ag/liter |
| 383 | 14 | mg/liter of silver | mg of Ag/liter |
| 383 | 20 | | |
| 448 | 6 of sec. IV | destinat | destination |
| 450 | 10 | pum | pump |
| 461 | Figure 7, item 18 | K = 1° | K = 10° |
| 462 | 7 from bottom | CC = circulation manifold | CC = circulation heater |
| 473 | 9 from bottom | $\frac{-H_2}{dt}=$ | $\frac{d[o-H_2]}{dt}=$ |
| 497 | Footnote 16 | 44.73 ml | 44.78 ml |
| 563 | Column 17 | 0.082 | 0.802 |
| 579 | Research Paper RP851 | Since this paper went to press, the author's attention has been called to a solution by Georg Schnadel, Jahrbuch der Schiffbautechnischen Gesellschaft vol. 27, p. 246 (1926). | |

Engin lib
Direct

## RESEARCH PUBLICATIONS
## of the
## NATIONAL BUREAU OF STANDARDS

1904–1919:

(*a*) *Bulletin of the Bureau of Standards.* A quarterly journal. The *Bulletin* contained all research papers until, in 1910, it was limited to scientific papers; see (*f*) for technical papers.
(*b*) Reprints [1] from (*a*). *Scientific Papers* S1 to S329.
(*c*) Volumes [2] of (*a*), cloth bound, consecutively paged and indexed. Volumes 1 to 14.

1919–1928:

(*d*) *Scientific Papers* [1] *of the Bureau of Standards* (separates continuing series (*b*), Nos. S330 to S572).
(*e*) Volumes [2] of (*d*), cloth bound, consecutively paged and indexed. Volumes 15 to 22.

1910–1928:

(*f*) *Technologic Papers* [1] *of the Bureau of Standards*, T1 to T370. Prior to T203 issued only as separates.
(*g*) Volumes [2] of (*f*) cloth bound, beginning with T203, volume designated No. 16, to volume 22; consecutively paged and indexed.

1928:

(*h*) *Bureau of Standards Journal of Research* (issued under new title "*Journal of Research of the National Bureau of Standards*" beginning with the July 1934 number, volume 13, no. 1); (monthly), continuing and consolidating series (*d*) and (*f*). Subscription $2.50 per year, United States, Canada, Cuba, Mexico, Newfoundland, and Republic of Panama; $3.25 elsewhere.
(*i*) Volumes [3] of (*h*), cloth bound (six monthly issues), consecutively paged and indexed.
(*j*) Separates [1] of (*h*) issued under new series title, *Research Papers.*

Circular C24 contains a list of (*a*) to (*g*) and a subject index of same to June 30, 1925. The Supplement to Circular C24 continues this list and index. These give a complete list and index of all publications to December 31, 1931, and the mimeographed insert furnished with the Supplement brings the list practically up to date. Copies of this Circular and Supplement will be found at most Government depository libraries having files of the Bureau's publications. Circular C24 may be purchased from the Superintendent of Documents, Government Printing Office, Washington, D. C., for 25 cents; the Supplement for 25 cents.

[1] For prices and other information, see Circular C24, and Supplement thereto.
[2] Volumes 1 to 21, $2 each; 22, $3. Volumes 1, 15, 16, 19, and 20 are out of print. Special prices for set, address Superintendent of Documents, Government Printing Office, Washington, D. C.
[3] Volumes 1 to 6, $2.75 each; 7 to 14, $3 each. For shipment to foreign countries add 50 cents to the cost of the volume.

51026—36

*Separate copies of the Research Papers listed may be purchased from the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C., at 5 cents each (Research Paper 831, 10 cents) or at a discount of 25 percent for 100 copies or more. Remittance should be in the form of a post-office money order, coupons (issued by the Superintendent of Documents for the specific purpose of purchasing Government publications), express money order, New York draft, or cash at sender's risk.*

# CONTENTS OF VOLUME 15


Vol. 15—July 1935—No. 1

RP — Page

804. Brightness meter for self-luminous dials. Leon F. Curtiss..... 1
805. Method for measuring the pH of leather using a simple glass-electrode assembly. Everett L. Wallace..... 5
806. Effect of pressure on the dielectric constant, power factor, and conductivity of rubber-sulphur compounds. Arnold H. Scott..... 13
807. Iron gallate inks—liquid and powder. Elmer W. Zimmerman.... 35
808. Separation of a dimethylcyclohexane fraction from a midcontinent petroleum. Robert T. Leslie..... 41
809. Separation of petroleum hydrocarbons with silica gel. Beveridge J. Mair and Joseph D. White..... 51
810. Effect of alkalies on wool. Milton Harris..... 63
811. Influence of sulphonated cod liver oil on the deterioration of vegetable-tanned leathers by sulphuric acid. Everett L. Wallace, Charles L. Critchfield, and John Beek, Jr..... 73
812. Infrared arc spectrum of chromium. C. C. Kiess..... 79
813. Use of 8-hydroxyquinoline in determinations of aluminum, beryllium, and magnesium. Howard B. Knowles..... 87
814. A thin cell for use in determining the refractive indices of crystal grains. Charles Proffer Saylor..... 97

Vol. 15—August 1935—No. 2

815. Color and spectral transmittance of vegetable oils. Harry J. McNicholas..... 99
816. Factors affecting ultraviolet solar-radiation intensities. W. W. Coblentz and R. Stair..... 123
817. Isolation of ethylcyclohexane from a midcontinent petroleum. Frank W. Rose, Jr., and Joseph D. White..... 151
818. Effect of protective coatings on the absorption of moisture by gelatin latex gas-cell fabrics. David F. Houston..... 163
819. Hydrothermal synthesis of kaolinite, dickite, beidellite, and nontronite. Raymond H. Ewell and Herbert Insley..... 173
820. Fractionation of the isotopes of oxygen in a commercial electrolyzer—a correction. Edgar R. Smith and Mieczysław Wojciechowski..... 187
821. Analysis of textiles for cellulose-acetate rayon, silk, regenerated-cellulose rayon, cotton, and wool. Ralph T. Mease and Daniel A. Jessup..... 189

Vol. 15—September 1935—No. 3

822. An extensometer comparator. Ambrose H. Stang and Leroy R. Sweetman..... 199
823. Purification of gallium by fractional crystallization of the metal. James I. Hoffman and Bourdon F. Scribner..... 205

RP Page

824. Present status of the isolation and identification of the volatile hydrocarbons in a midcontinent petroleum. Robert T. Leslie and Joseph D. White ..... 211
825. Heats of vaporization of eight gasolines. Ralph S. Jessup ..... 227
826. Mechanical properties of cotton yarns. Herbert F. Schiefer and Daniel H. Taft ..... 237
827. A study of sagger clays and sagger bodies. Raymond A. Heindl .. 255
828. Effects of fumigants on paper. Charles G. Weber, Merle B. Shaw, and E. A. Back ..... 271
829. Accuracy of microscopical methods for determining refractive index by immersion. Charles Proffer Saylor ..... 277
830. Infrared absorption spectra of plant and animal tissue and of various other substances. R. Stair and W. W. Coblentz ..... 295
831. Tests of steel tower columns for the George Washington Bridge. Ambrose H. Stang and Herbert L. Whittemore ..... 317

Vol. 15—October 1935—No. 4

832. Yield and purity of levulose derived from the calcium levulate process. Richard F. Jackson and Joseph A. Mathews ..... 341
833. Heat of combustion of isobutane. Frederick D. Rossini ..... 357
834. Comparative wear of chrome-tanned, vegetable-tanned, and retanned sole leather. Roy C. Bowker and Warren E. Emley .... 363
835. Influence of some sulphur-containing tanning materials on the deterioration of vegetable-tanned leathers by sulphuric acid. Everett L. Wallace, Joseph R. Kanagy, and Charles L. Critchfield ..... 369
836. A colorimetric method for the quantitative determination of small amounts of silver by use of *p*-dimethylaminobenzalrhodanine. Irl C. Schoonover ..... 377
837. Hardening characteristics and other properties of commercial one-percent-carbon tool steels. T. G. Digges and Louis Jordan .... 385
838. Atomic weight of gallium. G. E. F. Lundell and James I. Hoffman. 409
839. A study for the preparation of a specification for high-early-strength portland cement. G. Rupert Gause ..... 421

Vol. 15—November 1935—No. 5

840. Design and construction of an experimental diffusion battery. Max J. Proffitt ..... 441
841. The difference in vapor pressures of ortho- and paradeuterium. F. G. Brickwedde, R. B. Scott, and H. S. Taylor ..... 463
842. The Waidner-Wolff and other adjustable electrical-resistance elements. E. F. Mueller and Frank Wenner ..... 477
843. Standardization of permanganate solutions with sodium oxalate. Robert M. Fowler and Harry A. Bright ..... 493
844. Heat capacity, entropy, and free energy of rubber hydrocarbon. Norman Bekkedahl and Harry Matheson ..... 503
845. Determination of magnetic hysteresis with the Fahy Simplex permeameter. Raymond L. Sanford and Evert G. Bennett ..... 517
846. Deterioration of vegetable-tanned leathers containing sulphuric acid and glucose. Everett L. Wallace and Joseph R. Kanagy ..... 523

RP Page

847. The Priest-Lange reflectometer applied to nearly white porcelain enamels. Irwin G. Priest ..... 529
848. Thermal decomposition of talc. R. H. Ewell, E. N. Bunting, and R. F. Geller ..... 551

Vol. 15—December 1935—No. 6

849. Apparatus and methods for investigating the chemical constitution of lubricating oil, and preliminary fractionation of the lubricating-oil fraction of a midcontinent petroleum. Beveridge J. Mair, Sylvester T. Schicktanz, and Frank W. Rose, Jr ..... 557
850. Effect of humidity in hot-wire anemometry. Galen B. Schubauer ... 575
851. Determination of principal stresses from strains on four intersecting gage lines 45° apart. Wm. R. Osgood ..... 579
852. Stability of aqueous solutions of acid potassium phthalate. James I. Hoffman ..... 583
853. Determination of gallium in aluminum. J. A. Scherrer ..... 585
854. Accelerated service tests of pintle bearings. Ambrose H. Stang and Leroy R. Sweetman ..... 591
855. Accelerated aging test for weighted silk. Wm. D. Appel and Daniel A. Jessup ..... 601
856. Unicontrol radio receiver for ultra high frequencies using concentric lines as interstage couplers. Francis W. Dunmore ..... 609

Index to Volume 15 (July to December 1935) Research Papers 804 to 856 ..... 619

○